Mitel MiVoice 5340e IP Phone

Customization and superior usability in the next generation of IP phones

Key Features

- 48 self-labeling, programmable keys
- Wideband audio support
- One-touch access to embedded applications
- Hands-free speakerphone
- Built-in HTML toolkit



The MiVoice 5340e IP Phone delivers easy-to-use, one-touch access to many phone features and applications in an exciting next generation desktop device. The MiVoice 5340e can be customized to a specific user's needs, or used by any general employee in the business.

A full-feature, enterprise-class applications phone, the MiVoice 5340e IP Phone provides a large backlit graphics display with 48 programmable self-labeling keys, six intuitive call state-sensitive softkeys, and superior sound quality with wideband audio.

With its built-in HTML toolkit, applications can be developed to run on the MiVoice 5340e IP Phone without an external server. This provides a cost-effective, intuitive means of customization for unique requirements, such as launching an application or displaying specific information integral to the user or business. The MiVoice 5340e IP Phone is ideal for enterprise executives and managers, hot desk users, teleworkers, and contact center agents and supervisors.

Ease of Use and Enhanced User Value

The MiVoice 5340e IP Phone provides 48 self-labeling, programmable keys, allowing users to tailor their phones to their individual needs. Its backlit display, context-sensitive softkeys, and intuitive navigation keys add to its usability, proving the MiVoice 5340e IP Phone as a "one size fits all" desktop phone.

Unified Communications Support

When used with Mitel Unified Communicator Express or Mitel MiCollab Client (formerly Mitel Unified Communicator® Advanced) applications, the MiVoice 5340e IP Phone becomes a powerful communications tool that helps users improve productivity, enhance customer service, reduce costs, and ultimately improve business process integration.

What Do You Want Your Phone to Do?

Whatever your requirements, customization is easy and cost effective with the Mitel HTML Desktop Toolkit. You can launch an application, create a screen saver, or display database information – all accomplished easily and quickly to address your specific needs.



Superior Acoustics with Wideband Audio

All MiVoice 5300 Series IP Phones have been designed to provide superior sound quality, with wideband audio as a standard feature. The MiVoice 5340e IP Phone comes equipped with a wideband audio handset (7 Khz), as well as full duplex hands-free speakerphone, making it acoustically superior to many IP phones available today.

Peripherals Support

With support for a variety of peripherals, the MiVoice 5340e can be customized based on user needs and requirements - there's no need to purchase a new phone for additional functionality. The MiVoice 5340e IP Phone can be easily enhanced with any of the following phone accessories:

- Mitel Line Interface Module, which allows analog connectivity for emergency dialing
- Mitel 5310 IP Conference Unit, which provides instant superior quality voice conferencing
- Mitel Cordless (DECT) Accessories Module, which supports the Cordless (DECT) Handset and Cordless (DECT) Headset
- Mitel Bluetooth® Module, which supports third-party Bluetooth headsets and the Mitel Bluetooth Handset
- 12- and 48-Button Mitel Programmable Key Modules, which easily add up to 96 additional programmable keys to the phone
- Mitel MiVoice 5610 IP DECT Stand and Handset, a unique accessory that offers a low-cost wireless solution for personal area mobility on IP Phones

MiVoice 5340e IP Phone Features

- Large backlit graphics display (160 x 320) with Auto Dimming
- 48 programmable, multi-function, self-labeling keys, provided in three pages of 16 keys each
- Wideband audio support (G.722) ships with a wideband handset (7 kHz) standard
- Dual embedded Gigabit Ethernet ports (LAN and PC)
- Mitel applications support: Mitel Live Directory, MiCollab Client, Mitel Unified Communicator® Express and Mitel Live Content Suite
- 13 fixed function keys: Hold, Settings, Message, Speaker, Mute, Transfer / Conference, Redial, Cancel, Volume / Ringing / Contrast Up and Down, Home Page, Previous Page, Next Page

- Six context-sensitive softkeys for intuitive feature access
- Menu key provides one-touch access to embedded applications, including: Call History, Call Forwarding, Conference Unit Application, People (Contacts), Settings, Help, Call Info, and Visual Voicemail
- Hands-free speakerphone operation (full duplex)
- · Icon button labeling for global markets
- Language support: English, French, German, Italian, Portuguese, Spanish, Dutch, and simplified Chinese
- Hearing-aid-compatible (HAC) handset and HAC compliance for magnetic coupling to approved HAC hearing aids
- Secure voice communication enabled by encryption

Protocol Support

The MiVoice 5340e IP Phone supports SIP and Mitel IP (MiNet) protocols.

Powering Options

Accepts standards-based (IEEE 802.3af) power over the LAN via spare pair or signal pair and supports 48 VDC Ethernet / AC power wall adapters. The MiVoice 5340e IP Phone can be powered via a powered switch or by local 48 V Ethernet power.

POWER CONSUMPTION

Specification	10/100 MB MODE	GB MODE	
Idle	3.9 W	4.2 W	
Typical	4.8 W	5.5 W	
Typical	5.8 W	6.1 W	

ENVIRONMENTAL CONDITIONS

Specification	TEMPERATURE	HUMIDITY	
Operational	+4°C to +49°C	34% at +49°C 95% at +29°C	
Storage	-40°C to +66°C	15% at +66°C 95% at +29°C	

REGULATORY STANDARDS

EMC	Safety	Telecom
 CANADA: ICES-003 (CLASS B) USA: CFR Title 47, Part 15 (CLASS B) EU: EN55024 (EU), EN55022 (Class B) AUSTRALIA / NEW ZEALAND: AS / NZS CISPR 22 BRAZIL: Resolution No. 442 / 2006 (Brazil) CHINA: GB9254 	 CANADA: CSA C22.2 No. 60950-1 USA: UL 60950 EU: EN 60950, EN 60950-1 AUSTRALIA / NEW ZEALAND: AS / NZS 60950-1 BRAZIL: Resolution 238 / 2000 (Brazil) CHINA: GB4943 	CANADA: CS03 Part V (hearing aid compatible) USA: FCC part 68 (CFR 47) (hearing aid compatible) AUSTRALIA / NEW ZEALAND: PTC220, AS / ACIS, S004

5340e IP PHONE SPECIFICATIONS

Signaling	Voice QoS	MTBF Rate	Size (L x W x H)	Weight	Codec / Compression
» MiNet over TCP Session Initiation Protocol (SIP)	» IEEE 802.1p/q	» 57.2 years	» 9.2" x 7.5" x 7.1" (23.5 cm x 19.0 cm x 18.0 cm)	» 2.2 lbs (1.01 Kg)	» G.711, G.729a, G.722.1

System Software Requirements

- Mitel MiVoice Business (formerly Mitel Communications Director (MCD)) Release 5.0 SP2 or later
- Mitel MiVoice Office (formerly Mitel 5000 Communications Platform) Release 5.1 or later
- Mitel SX-200 IP Communications Platform (ICP) Release 5.0 or later
- Mitel MiVoice Border Gateway (Mitel Teleworker Solution) Release 7.1 or later
- Mitel SIP Software Release 8.0 or later
- Mitel HTML Toolkit Release 2.1 or later

